Rhodora

JOURNAL OF THE
NEW ENGLAND BOTANICAL CLUB

NORTON H. NICKERSON, Editor-in-Chief
JOAN Y. NICKERSON, Managing Editor

Associate Editors

DAVID S. BARRINGTON
A. LINN BOGLE
WILLIAM D. COUNTRYMAN
GARRETT E. CROW
RICHARD A. FRALICK
GERALD J. GASTONY
MICHAEL W. LEFOR
NORTON G. MILLER
ROBERT T. WILCE

VOLUME 87

1985

The New England Botanical Club, Inc.
Harvard University Herbaria, 22 Divinity Ave., Cambridge, Mass. 02138

INDEX TO VOLUME 87

New scientific names are in **bold face**.

Additional chromosome numbers in Tithonia (Compositae) 563–564

Allred, Kelly W. Studies in the Aristida (Gramineae) of southeastern United States.
- II. Morphometric analysis of A. intermedia and A. longespica 137–145
- III. Nomenclature and a taxonomic comparison of A. lanosa and A. palustris 147–155

Ancestry of Betula cordifolia Regel. On the, 551–554

Antennaria (Asteraceae: Inuleae). II. The A. Parlinii complex. Investigations into the evolutionary history of the polyploid complexes in, 321–339

Aristida (Gramineae) of the southeastern United States.
- II. Morphometric analysis of A. intermedia and A. longespica. Studies in the, 137–145
- III. Nomenclature and a taxonomic comparison of A. lanosa and A. palustris 147–155

Aster pilosus (Compositae-Astereae) II. Survey of the range, with notes on A. depauperatus, A. parviceps and A. porteri. The cytogeography of, 367–379

Astereae. Chromosome number determinations in Fam. Compositae Tribe, 517–527

Bartgis, Rodney L. Rediscovery of Trifolium stoloniferum Muhl. ex A. Eaton 425–429

Basicladia vivipara Normandin & Taft (Cladophorales) in Illinois 559–561

Bayer, Randall J. Investigations into the evolutionary history of the polyploid complexes in Antennaria (Asteraceae: Inuleae). II. The A. Parlinii complex 321–339

Betula cordifolia Regel. On the ancestry of, 551–554

Bissell, James. K., Brian C. Parsons, and Thomas A. Yates. A new locality for Trollius laxus Salisb. ssp. laxus in Ohio 459–461

Blackwell, Will H. *see* Loconte, Henry

Book Reviews: Aven Nelson of Wyoming 443–446

Common Florida Angiosperm Families. Part 1. 601–602

Ecology of a Tropical Rainforest—Seasonal Rhythms and Long-Term Changes. The, 287

Flowers of the Wild: Ontario and the Great Lakes Region 601

Working With Your Woodland—A Landowner's Guide 288–289

Brackley, Frances E. The orchids of New Hampshire 1–117

Brewer, L. G. *see* Graber, R. .E

Carex ×caesariensis (Cyperaceae). The status and identity of, 529–537

Carex jamesii in Minnesota with phytogeographical notes on the genus 543–549

Carter, M. Eloise Brown, and William H. Murdy. Systematics of Talinum parviflorum Nutt. and the origin of T. teretifolium Pursh (Portulacaceae) 121–130

Catling, P. M. *see* Reznicek, A. A.

Caulophyllum (Berberidaceae). Intrageneric taxonomy of, 463–469

Central American species of Monnina (Polygalaceae). A revision of the, 159–188

Changes in the population of the rare and endangered plant Potentilla robbinsiana Oakes during the period 1973–1983 449–457

Changes in the standing crop of eelgrass, Zostera marina L., at Cape Ann, Mas-

sachusetts, since the epidemic of 1932 357–366
Chmielewski, Jerry G. *see* Semple, John C.
Christenson, E. A. and M. W. Lefor. Ornithogalum nutans L. (Liliaceae) in Connecticut 437–438
Chromosome number determinations in Fam. Compositae Tribe Astereae 517–527
Chromosome numbers in Tithonia (Compositae). Additional, 563–564
Chromosomes of Mexican Sedum V. Section Sedum and Subgenus Sulcus. 381–423
Celt, LeBaron C., Jr. Vaucheria undulata Jao again in New England 597–599
Compositae. Tribe Astereae. Chromosome number determinations in Fam., 517–527
Connecticut. Ornithogalum nutans L. (Liliaceae) in, 437–438
Coreopsis rosea Nutt. and Sabatia kennedyana Fern. Lakeshores in the Tusket River Valley, Nova Scotia: Distribution and status of some rare species, including, 309–320
Crow, Garrett E. *see* Dunlop, Debra A.
Cyperus albomarginatus. Cyperus flavicomus, the correct name for, 539–541
Cyperus flavicomus, the correct name for Cyperus albomarginatus. 539–541
Cytogeography of Aster pilosus (Compositae-Astereae) II. Survey of the range, with notes on A. depauperatus, A. parviceps and A. porteri, The, 367–379
Dann, Kevin, T. *see* Zika, Peter F.
Dexter, Ralph W. Changes in the standing crop of eelgrass, Zostera marina L., at Cape Ann, Massachusetts, since the epidemic of 1932 357–366
Distribution and extent of Pinus resinosa Ait. in Newfoundland 341–356
Distribution and status of some rare species, including Coreopsis rosea Nutt. and Sabatia kennedyana Fern. Lakeshores in the Tusket River Valley, Nova Scotia: 309–320
Distribution of Mertensia maritima (Boraginaceae) and subspecies of Sagina nodosa (Caryophyllaceae) on islands in Machias Bay, Maine 431–435
Dunlop, Debra A. and Garrett E. Crow. Rare plants of coastal New Hampshire 487–501
Dunlop, Debra A. and Garrett E. Crow. Vegetation and flora of the Seabrook Dunes with special reference to rare plants. The, 471–486
Eelgrass, Zostera marina L., at Cape Ann, Massachusetts, since the epidemic of 1932. Changes in the standing crop of, 357–366
Ethnobotanical notes of Richard Spruce. Several unpublished, 439–441
Gomphonema angustatum var. sarcophagus (Greg.) Grun., A reconsideration of, 555–558
Graber, R. E. and L. G. Brewer. Changes in the population of the rare and endangered plant Potentilla robbinsiana Oakes during the period 1973 to 1983 449–457
Gray, Asa. Typification of the Hawaiian plants described by, from the Wilkes Expedition collections, and an enumeration of the other Hawaiian collections. Hawaiian plant studies 54. 565–595
Greenman, Jesse M. Award 604
Hawaiian plants described by Asa Gray from the Wilkes expedition collections, and an enumeration of the other Hawaiian collections. Typification of the, Hawaiian plant studies 54. 565–595
Hesler Visiting Professorships 603
Historical Notes:
  Several unpublished ethnobotanical notes of Richard Spruce 439–441
  Typification of the Hawaiian plants described by Asa Gray from the Wilkes expedition collections, and

an enumeration of the other Hawaiian collections. Hawaiian plant studies 54. 565–595
Illinois. Basicladia vivipara Normandin & Taft (Cladophorales) in, 559–561
Intrageneric taxonomy of Caulophyllum (Berberidaceae) 463–469
Introduction and spread of Veronica beccabunga (Scrophulariaceae) in eastern North America. The, 503–515
Investigations into the evolutionary history of the polyploid complexes in Antennaria (Asteraceae: Inuleae). II. The A. Parlinii complex 321–339
Keddy, Paul A. Lakeshores in the Tusket River Valley, Nova Scotia: Distribution and status of some rare species, including Coreopsis rosea Nutt. and Sabatia kennedyana Fern. 309–320
La Duke, John C. and Tim Remple. Additional chromosome numbers in Tithonia (Compositae) 563–564
Lakeshores in the Tusket River Valley, Nova Scotia: Distribution and status of some rare species, including Coreopsis rosea Nutt. and Sabatia kennedyana Fern. 309–320
Lefor, M. W. *see* Christenson, E. A.
Les, Donald H. and Ronald L. Stuckey. The introduction and spread of Veronica beccabunga (Scrophulariaceae) in eastern North America 503–515
Lewis, Alan J. Distribution of Mertensia maritima (Boraginaceae) and subspecies of Sagina nodosa (Caryophyllaceae) on islands in Machias Bay, Maine 431–435
Lewis, Walter H. and Gary A. Thompson. Panax quinquefolium (Araliaceae) in southeastern Oklahoma 131
Lindera benzoin. Sex ratio and sexual constancy in spicebush 305–308
Lipsey, Louis L., Jr. Basicladia vivipara Normandin & Taft (Cladophorales) in Illinois 559–561
Lipsey, Louis L., Jr. A reconsideration of Gomphonema angustatum var. sarcophagus (Greg.) Grun. 555–558
Literature for New England Botanists 290–291
Loconte, Henry and Will H. Blackwell. Intrageneric taxonomy of Caulophyllum (Berberidaceae) 463–469
Maine. Distribution of Mertensia maritima (Boraginaceae) and subspecies of Sagina nodosa (Caryophyllaceae) on islands in Machias Bay, 431–435
Malaxis paludosa (L.) Sw. (Orchidaceae) in Minnesota. Rediscovery of, 133–136
Massachusetts since the epidemic of 1932. Changes in the standing crop of eelgrass, Zostera marina L., at Cape Ann, 357–366
Mayer, Stephen F. and David J. Schimpf. On the ancestry of Betula cordifolia Regel 551–554
Mertensia maritima (Boraginaceae) and subspecies of Sagina nodosa (Caryophyllaceae) on islands in Machias Bay, Maine. Distribution of, 431–435
Mexican Sedum V. Section Sedum and Subgenus Sulcus. Chromosomes of, 381–432
Minnesota. Carex jamesii in, with phytogeographical notes on the genus 543–549
Minnesota. Rediscovery of Malaxis paludosa (L.) Sw. (Orchidaceae) in, 133–136
Monnina (Polygalaceae). A revision of the Central American species of, 159–188
Monnina. 159–188. M. costaricensis 169; M. crepinii 174; **M. ferreyrae** *sp. nov.* 185; M. guatemalensis 177; **M. parasylvatica** *sp. nov.* 170; M. saprogena 167; M. sylvatica 183; M. xalapensis 179
Murdy, William H. *see* Carter, M. Eloise Brown
NEBC Research Award Notice 447, 605

New England. Vaucheria undulata Jao again in, 597–599
New England Notes
Ornithogalum nutans L. (Liliaceae) in Connecticut 437–438
Vaucheria undulata Jao again in New England 597–599
New Hampshire. The Orchids of, 1–117. Distribution maps 103; Key to genera 3; Table of contents of genera 1
New Hampshire. Rare plants of coastal, 487–501
New locality for Trollius laxus Salisb. ssp. laxus in Ohio. A, 459–461
Newfoundland. Distribution and extent of Pinus resinosa Ait. in, 341–356
North America, eastern. The introduction and spread of Veronica beccabunga (Scrophulariaceae) in, 503–515
Notices of publication
Biology 83: Current Titles in the Biological Sciences 292
Botanical Index to the Journal of Henry David Thoreau 448
Nova Scotia: Distribution and status of some rare species, including Coreopsis rosea Nutt. and Sabatia kennedyana Fern. Lakeshores in the Tusket River Valley, 309–320
Ohio. A new locality for Trollius laxus Salisb. ssp. laxus in, 459–461
On the ancestry of Betula cordifolia Regel 551–554
Orchids of New Hampshire. The, 1–117. Distribution maps 103; Key to the genera 3; Table of contents of genera 1
Ornithogalum nutans L. (Liliaceae) in Connecticut 437–438
Painted trillium. Trillium undulatum forma enotatum, a new petal color form of the, 157–158
Panax quinquefolium (Araliaceae) in southeastern Oklahoma 131
Parsons, Brian C. *see* Bissell, James K.
Patrick, Thomas S. Trillium undulatum forma enotatum, a new petal color form of the painted trillium 157–158
Phytogeographical notes on the genus. Carex jamesii in Minnesota with, 543–549
Pinus resinosa Ait. in Newfoundland. Distribution and extent of, 341–356
Polyploid complexes in Antennaria (Asteraceae: Inuleae). II. The A. Parlinii complex. Investigations into the evolutionary history of the, 321–339
Poole, James. In memoriam 132
Potentilla robbinsiana Oakes during the period 1973 to 1983. Changes in the population of the rare and endangered plant, 449–457
Primack, Richard B. Sex ratio and sexual constancy in spicebush (Lindera benzoin) 305–308
Rare and endangered plant Potentilla robbinsiana Oakes during the period 1973 to 1983. Changes in the population of the, 449–457
Rare plants. The vegetation and flora of the Seabrook Dunes with special reference to, 471–486
Rare plants of coastal New Hampshire 487–501
Rare plants on ultramafic soils in Vermont 293–304
Reconsideration of Gomphonema angustatum var. sarcophagus (Greg.) Grun. A, 555–558
Rediscovery of Malaxis paludosa (L.) Sw. (Orchidaceae) in Minnesota 133–136
Rediscovery of Trifolium stoloniferum Muhl. ex A. Eaton 425–429
Reeves, Linda *see* Reeves, Timothy
Reeves, Timothy and Linda Reeves. Rediscovery of Malaxis paludosa (L.) Sw. (Orchidaceae) in Minnesota 133–136
Remple, Tim *see* La Duke, John C.
Reviewers. List of, 606
Revision of the Central American species

of Monnina (Polygalaceae). A, 159–188
Revision of Ribes L. subg. Grossularia (Mill.) Pers. sect. Grossularia (Mill.) Nutt. (Grossulariaceae) in North America. A, 189–286
Reznicek, A. A. and P. M. Catling. The status and identity of Carex ×caesariensis (Cyperaceae) 529–537
Ribes L. subg. Grossularia (Mill.) Pers. sect. Grossularia (Mill.) Nutt. (Grossulariaceae) in North America 189–286
Ribes 189–286. R. curvatum 273; cynosbati 220; divaricatum 251, var. divaricatum 256, var. parishii 259, var. pubiflorum 257; echinellum 278; hirtellum 237; inerme 243, var. inerme 247, var. klamathense 250; missouriense 264; niveum 269; oxyacanthoides 225, ssp. **cognatum** *comb. nov.* 236; ssp. **hendersonii** *comb. nov.* 235, ssp. **irriguum** *comb. nov.* 233, ssp. oxyacanthoides 228, ssp. **setosum** *comb. nov.* 231; rotundifolium 260. Key to the species of sect. Grossularia 219; Summary of nomenclatural information for genera, subgenera and sections (Table) 193; Taxonomic treatment 207
Roberts, B. A. Distribution and extent of Pinus resinosa Ait. in Newfoundland 341–356
Sabatia kennedyana Fern. Lakeshores in the Tusket River Valley, Nova Scotia: Distribution and status of some rare species, including Coreopsis rosea Nutt. and, 309–320
Sagina nodosa (Caryophyllaceae) on islands in Machias Bay, Maine. Distribution of Mertensia maritima (Boraginaceae) and subspecies of, 431–435
Schimpf, David J. *see* Mayer, Stephen F.
Schultes, Richard E. Several unpublished ethnobotanical notes of Richard Spruce 439–441
Seabrook Dunes with special reference to rare plants. The vegetation and flora of the, 471–486
Sedum and Subgenus Sulcus. Chromosomes of Mexican Sedum V. Section, 381–423
Semple, John C. Chromosome number determinations in Fam. Compositae Tribe Astereae 517–527
Semple, John C. and Jerry G. Chmielewski. The cytogeography of Aster pilosus (Compositae-Astereae) II. Survey of the range, with notes on A. depauperatus, A. parviceps and A. porteri 367–379
Sex ratio and sexual constancy in spicebush (Lindera benzoin) 305–308
Sexual constancy in spicebush (Lindera benzoin). Sex ratio and, 305–308
Sinnott, Quinn P. A revision of Ribes L. subg. Grossularia (Mill.) Pers. sect. Grossularia (Mill.) Nutt. (Grossulariaceae) in North America 189–226
Spicebush (Lindera benzoin). Sex ratio and sexual constancy in, 305–308
Spruce, Richard. Several unpublished ethnobotanical notes of, 439–441
St. John, Harold. Typification of the Hawaiian plants described by Asa Gray from the Wilkes expedition collections, and an enumeration of the other Hawaiian collections. Hawaiian plant studies 54 565–595
Status and identity of Carex ×caesariensis (Cyperaceae) 529–537
Stuckey, Ronald S. *see* Les, Donald H.
Studies in the Aristida (Gramineae) of the southeastern United States.
II. Morphometric analysis of A. intermedia and A. longespica 137–145
III. Nomenclature and a taxonomic comparison of A. lanosa and A. palustris 147–155
Systematics of Talinum parviflorum Nutt. and the origin of T. teretifolium Pursh (Portulacaceae) 121–130
Talinum parviflorum Nutt. and the

origin of T. teretifolium Pursh (Portulacaceae). Systematics of, 121–130
Talinum teretifolium Pursh (Portulacaceae). Systematics of Talinum parviflorum Nutt. and the origin of, 121–130
Taylor, Charlotte M. A revision of the Central American species of Monnina (Polygalaceae) 159–188
Thompson, Gary A. *see* Lewis, Walter H.
Tithonia (Compositae). Additional chromosome numbers in, 563–564
Trifolium stoloniferum Muhl. ex A. Eaton. Rediscovery of, 425–429
Trillium undulatum forma enotatum, a new petal color form of the painted trillium 157–158
Trillium undulatum f. enotatum *f. nov.* 157
Trollius laxus Salisb. ssp. laxus in Ohio. A new locality for, 459–461
Tucker, Gordon C. Cyperus flavicomus, the correct name for Cyperus albomarginatus 539–541
Tusket River Valley, Nova Scotia: Distribution and status of some rare species, including Coreopsis rosea Nutt. and Sabatia kennedyana Fern. Lakeshores in the, 309–320
Typification of the Hawaiian plants described by Asa Gray from the Wilkes expedition collections, and an enumeration of the other Hawaiian collections. Hawaiian plant studies 54. 565–595
Uhl, Charles H. Chromosomes of Mexican Sedum V. Section Sedum and Subgenus Sulcus 381–423
Ultramafic soils in Vermont. Rare plants on, 293–304
United States, southeastern. Studies in the Aristida (Gramineae) of the,
II. Morphometric analysis of A. intermedia and A. longespica 137–145
III. Nomenclature and a taxonomic comparison of A. lanosa and A. palustris 147–155
Vaucheria undulata Jao again in New England 597–599
Vegetation and flora of the Seabrook Dunes with special reference to rare plants. The, 471–486. Endangered species 483; Flora 478; Vegetation types 472
Vermont. Rare plants on ultramafic soils in, 293–403
Veronica beccabunga (Scrophulariaceae) in eastern North America. The introduction and spread of, 503–515
Wheeler, Gerald A. Carex jamesii in Minnesota with phytogeographical notes on the genus 543–549
Wilkes expedition collections. Typification of the Hawaiian plants described by Asa Gray from the, and an enumeration of the other Hawaiian collections. Hawaiian plant studies 54. 565–595
Yates, Thomas A. *see* Bissell, James K.
Zika, Peter F. and Kevin T. Dann. Rare plants on ultramafic soils in Vermont 293–304
Zostera marina L., at Cape Ann, Massachusetts, since the epidemic of 1932. Changes in the standing crop of, 357–366

Vol 87, No. 851, including pages 293–448, was issued July 24, 1985